

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE



Applicant: James A. Thomson
Serial No.: 08/376,327
Filed: January 20, 1995
Title: PRIMATE EMBRYONIC STEM CELLS

Art Unit:

Examiner:

Atty Docket: 960296.92905

Date: October 3, 1995

RECEIVED
NOV 6 2 1995
GROUP 1800

Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Transmitted herewith is an amendment in the above-identified patent application.


The fee for that amendment has been calculated as shown below:

CLAIMS AS AMENDED

	Claims After Amendment		Highest Number Paid For Previously	Number Extra	Rate	Additional Fee
Total Claims		Minus		0 X	\$11.00	= \$.00
Independent Claims		Minus		0 X	\$39.00	= \$.00
First presentation of a Multiple Dependent Claim					\$125.00	= \$.00
					Total Fee	\$.00

- ☒ [X] No additional fee is required.
- ☐ [] A check for \$.00 to cover the filing fee and the cost of recording the assignment is enclosed.
- ☒ [X] The Commissioner is hereby authorized to charge any additional fees which may be required or credit any overpayment to Account No. 17-0055. An extra copy of this sheet is enclosed.

Respectfully submitted,

By: 
Nicholas J. Seay
Registration No. 27,386

Quarles and Brady
P.O. Box 2113
Madison, WI 53701-2113
(608) 251-5000

United States Patent [19]

Thomson

US005,843,780A

[11] Patent Number: 5,843,780

[45] Date of Patent: Dec. 1, 1998

[54] PRIMATE EMBRYONIC STEM CELLS

[75] Inventor: James A. Thomson, Madison, Wis.

[73] Assignee: Wisconsin Alumni Research Foundation, Madison, Wis.

[21] Appl. No.: 591,246

[22] Filed: Jan. 18, 1996

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 376,327, Jan. 20, 1995.

[51] Int. Cl.⁶ C12N 5/06

[52] U.S. Cl. 435/363; 435/366; 435/373

[58] Field of Search 435/363, 366, 435/373

[56] References Cited

U.S. PATENT DOCUMENTS

5,449,620 9/1995 Khillan .
5,453,357 9/1995 Hogan 435/7.21
5,591,625 1/1997 Gerson et al .

FOREIGN PATENT DOCUMENTS

WO 94/03585 2/1994 WIPO .

OTHER PUBLICATIONS

Bongso, et al., "Isolation and culture of inner cell mass cells from human blastocysts", Human Reproduction, 9:2110-2117, 1994.

Brown, et al., "Criteria that optimize the potential of murine embryonic stem cells for in vitro and in vivo developmental studies", In Vitro Cell. Dev. Biol. 284:773-778, Dec. 1992.

Damjanov, et al., "Retinoic acid-induced differentiation of the developmentally pluripotent human germ cell tumor-derived cell line, NCCIT", Laboratory Investigation, 68:220-232, 1993.

Nation/World, "Embryonic monkey cells isolated". -Nov. 4, 1994.

Bongso, A., et al., "The Growth of Inner Cell Mass Cells from Human Blastocysts," *Theriogenology*, 41:167 (1994).

Thomson, James A., et al., "Pluripotent Cell Lines Derived from Common Marmoset (*Callithrix jacchus*) Blastocysts," *Biology of Reproduction*, 55:254-259 (1996).

Primary Examiner—Michael P. Woodward
Assistant Examiner—Brenda G. Brumback
Attorney, Agent, or Firm—Quarles & Brady

[57] ABSTRACT

A purified preparation of primate embryonic stem cells is disclosed. This preparation is characterized by the following cell surface markers: SSEA-1 (-); SSEA-3 (+); SSEA-4 (+); TRA-1-60 (+); TRA-1-81 (+); and alkaline phosphatase (+). In a particularly advantageous embodiment, the cells of the preparation have normal karyotypes and continue to proliferate in an undifferentiated state after continuous culture for eleven months. The embryonic stem cell lines also retain the ability, throughout the culture, to form trophoblast and to differentiate into all tissues derived from all three embryonic germ layers (endoderm, mesoderm and ectoderm). A method for isolating a primate embryonic stem cell line is also disclosed.

11 Claims, 8 Drawing Sheets



US005843780A

United States Patent [19]

Thomson

[11] Patent Number: 5,843,780
[45] Date of Patent: Dec. 1, 1998

[54] PRIMATE EMBRYONIC STEM CELLS

[75] Inventor: James A. Thomson, Madison, Wis.

[73] Assignee: Wisconsin Alumni Research Foundation, Madison, Wis.

[21] Appl. No.: 591,246

[22] Filed: Jan. 18, 1996

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 376,327, Jan. 20, 1995.

[51] Int. Cl.⁶ C12N 5/06

[52] U.S. Cl. 435/363; 435/366; 435/373

[58] Field of Search 435/363, 366, 435/373

[56] References Cited

U.S. PATENT DOCUMENTS

5,449,620 9/1995 Khillan .
5,453,357 9/1995 Hogan 435/7.21
5,591,625 1/1997 Gerson et al .

FOREIGN PATENT DOCUMENTS

WO 94/03585 2/1994 WIPO .

OTHER PUBLICATIONS

Bongso, et al., "Isolation and culture of inner cell mass cells from human blastocysts", Human Reproduction, 9:2110-2117, 1994.

Brown, et al., "Criteria that optimize the potential of murine embryonic stem cells for in vitro and in vivo developmental studies", In Vitro Cell. Dev. Biol. 284:773-778, Dec. 1992.

Damjanov, et al., "Retinoic acid-induced differentiation of the developmentally pluripotent human germ cell tumor-derived cell line, NCCIT", Laboratory Investigation, 68:220-232, 1993.

Nation/World, "Embryonic monkey cells isolated". -Nov. 4, 1994.

Bongso, A., et al., "The Growth of Inner Cell Mass Cells from Human Blastocysts," *Theriogenology*, 41:167 (1994).

Thomson, James A., et al., "Pluripotent Cell Lines Derived from Common Marmoset (*Callithrix jacchus*) Blastocysts," *Biology of Reproduction*, 55:254-259 (1996).

Primary Examiner—Michael P. Woodward
Assistant Examiner—Brenda G. Brumback
Attorney, Agent, or Firm—Quarles & Brady

[57] ABSTRACT

A purified preparation of primate embryonic stem cells is disclosed. This preparation is characterized by the following cell surface markers: SSEA-1 (-); SSEA-3 (+); SSEA-4 (+); TRA-1-60 (+); TRA-1-81 (+); and alkaline phosphatase (+). In a particularly advantageous embodiment, the cells of the preparation have normal karyotypes and continue to proliferate in an undifferentiated state after continuous culture for eleven months. The embryonic stem cell lines also retain the ability, throughout the culture, to form trophoblast and to differentiate into all tissues derived from all three embryonic germ layers (endoderm, mesoderm and ectoderm). A method for isolating a primate embryonic stem cell line is also disclosed.

11 Claims, 8 Drawing Sheets

DKT- 5/11 69-1016

Liz Goins

212-863-2086

For 2 Pub's



US005843780A

United States Patent [19]

Thomson

[11] **Patent Number:** 5,843,780[45] **Date of Patent:** Dec. 1, 1998[54] **PRIMATE EMBRYONIC STEM CELLS**[75] **Inventor:** James A. Thomson, Madison, Wis.[73] **Assignee:** Wisconsin Alumni Research Foundation, Madison, Wis.[21] **Appl. No.:** 591,246[22] **Filed:** Jan. 18, 1996**Related U.S. Application Data**

[63] Continuation-in-part of Ser. No. 376,327, Jan. 20, 1995.

[51] **Int. Cl.⁶** C12N 5/06[52] **U.S. Cl.** 435/363; 435/366; 435/373[58] **Field of Search** 435/363, 366, 435/373[56] **References Cited****U.S. PATENT DOCUMENTS**

5,449,620 9/1995 Khillan .
 5,453,357 9/1995 Hogan 435/7.21
 5,591,625 1/1997 Gerson et al. .

FOREIGN PATENT DOCUMENTS

WO 94/03585 2/1994 WIPO .

OTHER PUBLICATIONS

Bongso, et al., "Isolation and culture of inner cell mass cells from human blastocysts", *Human Reproduction*, 9:2110-2117, 1994.

Brown, et al., "Criteria that optimize the potential of murine embryonic stem cells for in vitro and in vivo developmental studies", *In Vitro Cell. Dev. Biol.* 284:773-778, Dec. 1992.

Damjanov, et al., "Retinoic acid-induced differentiation of the developmentally pluripotent human germ cell tumor-derived cell line, NCCIT", *Laboratory Investigation*, 68:220-232, 1993.

Nation/World, "Embryonic monkey cells isolated". -Nov. 4, 1994.

Bongso, A., et al., "The Growth of Inner Cell Mass Cells from Human Blastocysts," *Theriogenology*, 41:167 (1994).

Thomson, James A., et al., "Pluripotent Cell Lines Derived from Common Marmoset (*Callithrix jacchus*) Blastocysts," *Biology of Reproduction*, 55:254-259 (1996).

Primary Examiner—Michael P. Woodward**Assistant Examiner**—Brenda G. Brumback**Attorney, Agent, or Firm**—Quarles & Brady[57] **ABSTRACT**

A purified preparation of primate embryonic stem cells is disclosed. This preparation is characterized by the following cell surface markers: SSEA-1 (-); SSEA-3 (+); SSEA-4 (+); TRA-1-60 (+); TRA-1-81 (+); and alkaline phosphatase (+). In a particularly advantageous embodiment, the cells of the preparation have normal karyotypes and continue to proliferate in an undifferentiated state after continuous culture for eleven months. The embryonic stem cell lines also retain the ability, throughout the culture, to form trophoblast and to differentiate into all tissues derived from all three embryonic germ layers (endoderm, mesoderm and ectoderm). A method for isolating a primate embryonic stem cell line is also disclosed.

11 Claims, 8 Drawing Sheets



US005843780A

United States Patent [19]

Thomson

[11] Patent Number: 5,843,780
[45] Date of Patent: Dec. 1, 1998

[54] PRIMATE EMBRYONIC STEM CELLS

[75] Inventor: James A. Thomson, Madison, Wis.

[73] Assignee: Wisconsin Alumni Research Foundation, Madison, Wis.

[21] Appl. No.: 591,246

[22] Filed: Jan. 18, 1996

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 376,327, Jan. 20, 1995.

[51] Int. Cl.⁶ C12N 5/06

[52] U.S. Cl. 435/363; 435/366; 435/373

[58] Field of Search 435/363, 366, 435/373

[56] References Cited

U.S. PATENT DOCUMENTS

5,449,620 9/1995 Khillan .
5,453,357 9/1995 Hogan 435/7.21
5,591,625 1/1997 Gerson et al. .

FOREIGN PATENT DOCUMENTS

WO 94/03585 2/1994 WIPO .

OTHER PUBLICATIONS

Bongso, et al., "Isolation and culture of inner cell mass cells from human blastocysts", Human Reproduction, 9:2110-2117, 1994.

Brown, et al., "Criteria that optimize the potential of murine embryonic stem cells for in vitro and in vivo developmental studies", In Vitro Cell. Dev. Biol. 284:773-778, Dec. 1992.

Damjanov, et al., "Retinoic acid-induced differentiation of the developmentally pluripotent human germ cell tumor-derived cell line, NCCIT", Laboratory Investigation, 68:220-232, 1993.

Nation/World, "Embryonic monkey cells isolated". -Nov. 4, 1994.

Bongso, A., et al., "The Growth of Inner Cell Mass Cells from Human Blastocysts," *Theriogenology*, 41:167 (1994).

Thomson, James A., et al., "Pluripotent Cell Lines Derived from Common Marmoset (*Callithrix jacchus*) Blastocysts," *Biology of Reproduction*, 55:254-259 (1996).

Primary Examiner—Michael P. Woodward

Assistant Examiner—Brenda G. Brumback

Attorney, Agent, or Firm—Quarles & Brady

[57]

ABSTRACT

A purified preparation of primate embryonic stem cells is disclosed. This preparation is characterized by the following cell surface markers: SSEA-1 (-); SSEA-3 (+); SSEA-4 (+); TRA-1-60 (+); TRA-1-81 (+); and alkaline phosphatase (+). In a particularly advantageous embodiment, the cells of the preparation have normal karyotypes and continue to proliferate in an undifferentiated state after continuous culture for eleven months. The embryonic stem cell lines also retain the ability, throughout the culture, to form trophoblast and to differentiate into all tissues derived from all three embryonic germ layers (endoderm, mesoderm and ectoderm). A method for isolating a primate embryonic stem cell line is also disclosed.

11 Claims, 8 Drawing Sheets



US005843780A

United States Patent [19]

Thomson

[11] Patent Number: 5,843,780
[45] Date of Patent: Dec. 1, 1998

[54] PRIMATE EMBRYONIC STEM CELLS

[75] Inventor: James A. Thomson, Madison, Wis.

[73] Assignee: Wisconsin Alumni Research Foundation, Madison, Wis.

[21] Appl. No.: 591,246

[22] Filed: Jan. 18, 1996

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 376,327, Jan. 20, 1995.

[51] Int. Cl.⁶ C12N 5/06

[52] U.S. Cl. 435/363; 435/366; 435/373

[58] Field of Search 435/363, 366, 435/373

[56] References Cited

U.S. PATENT DOCUMENTS

5,449,620 9/1995 Khillan .
5,453,357 9/1995 Hogan 435/7.21
5,591,625 1/1997 Gerson et al. .

FOREIGN PATENT DOCUMENTS

WO 94/03585 2/1994 WIPO .

OTHER PUBLICATIONS

Bongso, et al., "Isolation and culture of inner cell mass cells from human blastocysts", *Human Reproduction*, 9:2110-2117, 1994.

Brown, et al., "Criteria that optimize the potential of murine embryonic stem cells for in vitro and in vivo developmental studies", *In Vitro Cell. Dev. Biol.* 284:773-778, Dec. 1992.

Damjanov, et al., "Retinoic acid-induced differentiation of the developmentally pluripotent human germ cell tumor-derived cell line, NCCIT", *Laboratory Investigation*, 68:220-232, 1993.

Nation/World, "Embryonic monkey cells isolated", -Nov. 4, 1994.

Bongso, A., et al., "The Growth of Inner Cell Mass Cells from Human Blastocysts," *Theriogenology*, 41:167 (1994).

Thomson, James A., et al., "Pluripotent Cell Lines Derived from Common Marmoset (*Callithrix jacchus*) Blastocysts," *Biology of Reproduction*, 55:254-259 (1996).

Primary Examiner—Michael P. Woodward
Assistant Examiner—Brenda G. Brumback
Attorney, Agent, or Firm—Quarles & Brady

[57] ABSTRACT

A purified preparation of primate embryonic stem cells is disclosed. This preparation is characterized by the following cell surface markers: SSEA-1 (-); SSEA-3 (+); SSEA-4 (+); TRA-1-60 (+); TRA-1-81 (+); and alkaline phosphatase (+). In a particularly advantageous embodiment, the cells of the preparation have normal karyotypes and continue to proliferate in an undifferentiated state after continuous culture for eleven months. The embryonic stem cell lines also retain the ability, throughout the culture, to form trophoblast and to differentiate into all tissues derived from all three embryonic germ layers (endoderm, mesoderm and ectoderm). A method for isolating a primate embryonic stem cell line is also disclosed.

11 Claims, 8 Drawing Sheets